

Printing date 01.06.2023

Version: 2.01 (replaces version 2.00)

Revision: 01.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Gloxil SF 91 A

UFI:

3600-6055-7007-52SJ

Nanoform:

According to the UK REACH Regulation (EC) 1907/2006, the product is not defined as 'nanoform'. **1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture**

As functional fillers for elastomers, plastics, paints and varnishes, adhesives, polishing and protective agents, welding electrodes, as well as in the construction and chemical industries.

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

HOFFMANN MINERAL GmbH Münchener Straße 75 D - 86633 Neuburg/Donau Tel.: +49 (8431) 53-0 www.hoffmann-mineral.com

Further information obtainable from: info@hoffmann-mineral.com

1.4 Emergency telephone number:

+49 (0) 84 31 53-0 (Not available outside office hours!)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation. Additional information:

Due to a cryptocrystalline silica alveolar dust content of < 0.1% by weight (DIN EN 15051-3), classification in accordance with Regulation (EC)1272/2008 is not required.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Warning Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Information concerning particular hazards for human and environment:

Due to the potential for generation of airborne respirable cryptocrystalline silica (cryp. CS), lung fibrosis cannot be ruled out. Prolonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m³) may lead to silicosis. Occupational exposure to cryp. CS A-dust should be monitored and controlled (-> see section 8.2.). **2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

(Contd. on page 2)

Version: 2.01 (replaces version 2.00)



Revision: 01.06.2023

(Contd. of page 1)

Printing date 01.06.2023

Trade name: Gloxil SF 91 A

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Surface treated mixture of Siliceous Earth, calcined and further inorganic fillers.

Calcined Neuburg Siliceous Earth is an inorganic compound originating in nature and made up of amorphous and cryptocrystalline silica and lamellar kaolinite which has been treated thermally. As a unique mineralogical entity, calcined Neuburg Siliceous Earth has been assigned the following specific

identification number(s): CAS 1214268-39-9 / EC: 310-127-6

Dangerous c	omponents:
-------------	------------

CAS: 12508-61-1	Hexamagnesium trihydrate decahydroxide sulfate
ELINCS: 483-390-9	🕩 Eye Irrit. 2, H319
Reg.nr.: 01-0000020210-91-XXXX	

Additional information:

(Mineralogical structure Siliceous Earth, calcined)

7631-86-9 Cryptocrystalline Silica (alveolar dust quantity: < 0.1% by weight)

7631-86-9 Amorphous Silica

92704-41-1 Calcined Kaolin

Bonding agents:

Various organofunctional silanes and/or paraffinis: The exact chemical composition and concentration of the bonding agents is part of company know-how and, therefore, confidential. **Nanoform**

According to the UK REACH Regulation (EC) 1907/2006, the product is not defined as 'nanoform'.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: In any cases of doubt or if symptoms are present, seek medical advice. **After inhalation:** Supply fresh air; consult doctor in case of complaints.

After skin contact:

Remove soiled clothing

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed Eye irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

⁻ GB

Version: 2.01 (replaces version 2.00)



Revision: 01.06.2023

Printing date 01.06.2023

Trade name: Gloxil SF 91 A

5.2 Special hazards arising from the substance or mixture
The product is not flammable.
In case of fire, the following can be released:
Sulphur oxides (SOX)

5.3 Advice for firefighters
Protective equipment:
Do not inhale explosion gases or combustion gases.
The normal measures for firefighting are to be taken.
Do not enter the hazardous area without a self-contained breathing apparatus.
See Section 8 for information on personal protection equipment.

(Contd. of page 2)

SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.

If the atmosphere is particularly dusty, breathing apparatus must be worn.

Ensure adequate ventilation

For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Avoid dry sweeping and use water spraying or vacuum cleaning (minimum dust class M) for removal. Keep in closed containers, ready for disposal.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed. Use suitable respiratory protective device in case of insufficient ventilation. Handle packaged products carefully to prevent accidental bursting. Any unavoidable deposit of dust must be regularly removed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

No special measures required.

Observe local/state/federal regulations.

Further information about storage conditions:

Store in dry conditions.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

a concentration of $\leq 0.10 \text{ mg/m}^3$ (average value for one shift) is observed for cryp. CS A-dust, it is highly likely that employees will not suffer from any silicotic disease.

GB

MINERAL

Version: 2.01 (replaces version 2.00)

Revision: 01.06.2023

Trade name: Gloxil SF 91 A

Printing date 01.06.2023

Gene	ral Exposure limit for dust
LV - IF	RELAND (Ireland) Long-term value: 4 mg/m³
,	inhalable
	ral Exposure limit for dust RELAND (Ireland) Long-term value: 10 mg/m³
DNEL	
	3 12508-61-1 Hexamagnesium trihydrate decahydroxide sulfate
Derma	
	tive DNEL 1.7 mg/m ³ (worker) (longterm systematic effects)
PNEC	
CAS:	12508-61-1 Hexamagnesium trihydrate decahydroxide sulfate
PNEC	100 mg/l (STP)
	0.1 mg/l (water (intermittent release))
	0.01 mg/l (water (fresh water))
	0.001 mg/l (water (sea water))
Suital Ensur sufficie be wo Indivi Gener Wash Keep Do no Immed Respi If A-du Hand Eye/fa Enviro	Apposure controls ble technical control devices e good ventilation. This can be achieved by localised extraction or general ventilation. If this is not ent to keep the concentration below the occupational exposure limit, suitable breathing protection is to rn. dual protection measures, such as personal protective equipment ral protective and hygienic measures: hands before breaks and at the end of work. away from foodstuffs, beverages and feed. t eat or drink while working. diately remove all soiled and contaminated clothing iratory protection: Jst exceeds the concentration of 0.10 mg/m ³ cryp. CS, wear an appropriate fine-dust filter mask (FFP - protection Not required in normal cases. acce protection Safety glasses with side shields onmental exposure controls t allow to enter into surface water or drains.

General Information	-
Physical state	Solid
Colour:	White
Odour:	Odourle
Melting point/freezing point:	Not app
Boiling point or initial boiling point and boiling	
range	Not app
Flammability	Product
Lower and upper explosion limit	
Lower:	Not app
Upper:	Not app
Flash point:	Not app
Auto-ignition temperature:	Not app
Decomposition temperature:	Not dete
pH (100 g/l) at 20 °C	7-10

White Odourless Not applicable

Not applicable. Product is not flammable.

Not applicable Not applicable Not applicable. Not applicable Not determined.

(Contd. on page 5)

Version: 2.01 (replaces version 2.00)



Revision: 01.06.2023

Trade name: Gloxil SF 91 A

Printing date 01.06.2023

	(Contd. of pag
Viscosity:	
Kinematic viscosity	Not applicable.
Solubility	
water:	negligible
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	2.4 g/cm ³
Vapour density	Not applicable.
Particle characteristics	D50: ~3 μm (ISO13320)
	Nanoform:
	According to the UK REACH Regulation (EC)
	1907/2006, the product is not defined as 'nanoform'.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of health ar	nd
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard class	 \$0\$
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Sulphur oxides (SOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

HOFFMAN MINERAL

Version: 2.01 (replaces version 2.00)

Revision: 01.06.2023

Trade name: Gloxil SF 91 A

Printing date 01.06.2023

	(Contd. of page
LĽ	D/LC50 values relevant for classification:
C/	AS: 12508-61-1 Hexamagnesium trihydrate decahydroxide sulfate
Or	
De	ermal LD 50 >2,000 mg/kg (rat) (OECD 402)
Sk	kin corrosion/irritation Based on available data, the classification criteria are not met.
Se	erious eye damage/irritation Causes serious eye irritation.
Re	espiratory or skin sensitisation Based on available data, the classification criteria are not met.
Ge	erm cell mutagenicity Based on available data, the classification criteria are not met.
Cá	arcinogenicity Based on available data, the classification criteria are not met.
Re	productive toxicity Based on available data, the classification criteria are not met.
S1	TOT-single exposure Based on available data, the classification criteria are not met.
Pr CS (E	FOT-repeated exposure olonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m ³) may lead to silicosis. Due to cryp. S A-dust (DIN EN 15051-3) amounting to < 0.1% by weight, classification in accordance with Regulation C)1272/2008 is not required. ased on available data, the classification criteria are not met.
As	spiration hazard Based on available data, the classification criteria are not met.
Ac	dditional toxicological information:
11 Er Ac	epeated dose toxicity Based on available data, the classification criteria are not met. .2 Information on other hazards adocrine disrupting properties according to the current state of scientific knowledge, there is no data for the product regarding endocrine srupting properties with health effects.
No	one of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

There are no ecotoxicological data available on this mixture.

Neuburg Siliceous earth belongs to the mineralogical class of silicates/oxides, these are commonly found in the earth's crust. They have no known harmful effects on the environment, nor are such effects to be expected.

Aquatic toxic	ity:
CAS: 12508-6	1-1 Hexamagnesium trihydrate decahydroxide sulfate
LC50 / 96 h	>38 mg/l (Oncorhynchus mykiss) (OECD 203)
EC50 / 48h	>38 mg/l (Daphnia magna) (OECD 202)
ErC 50 / 72h	10 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 72 h	2.35 mg/l (Desmodesmus subspicatus) (OECD 201)
12.5 Results PBT:	in soil No further relevant information available. of PBT and vPvB assessment nformation provided in the supply chain, the mix conatins less than 0.1% of any substances PBT
According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB	
According to t	ne disrupting properties he current state of scientific knowledge, there is no data for the product regarding endocrine perties with effects on the environment. (Control on page

(Contd. on page 7)

GB

Version: 2.01 (replaces version 2.00)



Revision: 01.06.2023

(Contd. of page 6)

Trade name: Gloxil SF 91 A

Printing date 01.06.2023

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Disposal must be made according to official regulations.

Waste disposal key:

For this product no waste code are defined according to the European Waste Catalogue, as the intended use by the user enables an allocation.

The waste code must be defined in agreement with the regional waste disposers.

European waste catalogue

HP4 Irritant - skin irritation and eye damage

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Empty containers should be recycled, recovered or disposed of locally.

Caution: Dust may form when folding empty paper bags and big-bags. Ensure that appropriate health and safety measures are in place.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Nothing additionally known beyond the information which are given in the sections 2., 8., 11., 12. European Directives: Directive 2010/75/EU (VOC) not subject to Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. (Contd. on page 8)

GB

Version: 2.01 (replaces version 2.00)



Revision: 01.06.2023

(Contd. of page 7)

Trade name: Gloxil SF 91 A

Printing date 01.06.2023

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H319 Causes serious eye irritation.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 12.12.2022
Version number of previous version: 2.00
Abbreviations and acronyms:
NOEL = No Observed Effect Level
NOEC = No Observed Effect Concentration
LC = letal Concentration
EC50 = half maximal effective concentration
log POW = Octanol / water partition coefficient
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ATE: acute toxicity estimate
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
IOELV = indicative occupational exposure limit values
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
* Data compared to the previous version altered.
, ,

GB